
Guderian



Model by: Pavel Cherepanov


BARREL 16" GUN
ROOF OF TURRET
FLASH BAGS TO PREVENT GASES REACHING CREW
GUNLAYER
EXPLOSION CHAMBER
TURRET ARMOUR
ELEVATOR CONTROL
ELECTRICAL CONNECTIONS FOR FIRING CHARGE
AIR DISCHARGE APPARATUS
BREECH
BREECH BLOCK ARM
SHELL TRAY
SHELL HOIST WITH CAGE INSIDE
FIRING TUBE BEING FIXED
OFFICER GIVING ORDERS TO AMMUNITION CHAMBER
2,461 lb. SHELL
BREECH BLOCK
GUN LOADING CREW
TO MAGAZINES
EMPTY CAGE DESCENDING


10





1. Отечественная самодвижущаяся противотанковая установка «Спрут-Б»: вес в боевом положении — 6575 кг; скорость самодвижения — 10 км/ч, буксировки — до 80 км/ч; калибр — 125 мм, возимый боекомплект — 6 выстрелов, скорострельность — 6 — 8 выстрелов в минуту; запас хода — 50 км; расчет — 7 человек.

2. «Спрут-Б» в походном положении.

3. 125-мм выстрел с бронебойным подкалиберным снарядом и зарядом в сгорающей гильзе — вес 20,4 кг, вес снаряда 7,05 кг, начальная скорость — 1700 м/с.

4. 125-мм выстрел весом 28,4 кг, с кумулятивным снарядом весом 18,4 кг, обладающим начальной скоростью 915 м/с.

5. 125-мм выстрел весом 33 кг, с осколочно-фугасным снарядом в 23 кг. Начальная скорость 850 м/с.

6. Бронебойный оперенный снаряд с двумя сердечниками, предназначенный для поражения брони с динамической защитой: 1 — передний и 2 — основной корпусы; 3 — ведущее устройство.

7. Комбинированный бронебойный снаряд и схема его действия: 1 — бронебойный сердечник; 2 — вышибной заряд; 3 — взрыватель; 4 — кумулятивный заряд; 5 — динамическая защита; 6 — основная броня. А — снаряд в полете к цели; Б — отделение кумулятивного заряда; В — разрушение им динамической защиты; Г — сердечник из тяжелого металла пробивает основную броню.

Рисунки Михаила ДМИТРИЕВА



1. Самоходная гаубица 2С1 «Гвоздика»: масса — 15700 кг, скорость по шоссе — 60 км/ч, по проселку — 26–32 км/ч, вооружение — 122-мм гаубица Д-32 (2А31), запас хода — 500 км, преодолеваемый подъем — 35 град., наклон — 25 град., длина — 7200 мм, ширина по гусеницам — 2850 мм, высота с прожектором-осветителем — 2725 мм, клиренс — 400 мм.

2. На схеме устройства гаубицы 2А31 обозначены: 1 — ствол; 2 — люлька; 3 — накатник; 4 — тормоз отката; 5 — затвор; 6 — механизм досылания; 7 — зубчатый сектор люльки; 8 — рукоятка подъемного механизма; 9 — рычаг спуска; 10 — подъемный механизм; 11 — цапфа; 12 — бронемаска.

3. Основные узлы электромеханического досылателя: 1 — поперечная каретка; 2 — электродвигатель; 3 — продольная каретка; 4 — ведущая звездочка; 5 — цепь; 6 — качалка; 7 — лоток; 8 — копир.

4. Боеукладка снарядов и зарядов: 1 — боковые корзины; 2, 3 — нижнее и верхнее кольца погона; 4 — прокладки; 5 — гильза с зарядом; 6 — снаряд; 7 — замки; 8 — упор.

5. На схеме стального кумулятивного снаряда цифрами обозначены: 1 — трассер; 2 — вкладыш; 3 — детонатор; 4 — трубка; 5 — разрывной заряд; 6 — металлическая оболочка; 7 — корпус; 8 — предохранитель; 9 — привинтная головка; 10 — взрыватель.


6. Выстрел с кумулятивным оперенным снарядом А и зарядом в сгорающей гильзе Б.

7. Дымовой стальной цельнокорпусный снаряд: 1 — корпус; 2 — дымообразующее вещество; 3 — разрывной заряд; 4 — запальный стакан; 5 — взрыватель.

Рис. Михаила ДМИТРИЕВА.


WL 240743
WL. 240743



VOYAGERMODEL
The Best Upgrade Solution
HobbyLink
Japan
PE35220
www.hlj.com


Because the tunnels were so tight and everyone was moving in close quarters, many soldier's first time in the tunnels were tough. Darkness, narrowness and silenced caused claustrophobia in even the most fearless soldiers. Only locals, many of whom had played in these tunnels since childhood, were capable of moving easily in the underground labyrinth and could even live there for months.
Underwater entrance. Several secret entrances to the tunnels were at the bottom of rivers and lakes.
Headquarter of the Viet Cong. One such cave contained a stolen American m48 tank, which had been loaded into a pit and then buried. The tank itself was used as a command center, the batteries, lights, and the radio were still working.
And so, our fascinating tour of the Cu Chi tunnels comes to an end. Today, in the city of Ho Chi Minh (formerly Saigon), any taxi driver will bring you to the supposed ruins of the Cu Chi tunnels for 20 dollars. Unfortunately, you're most likely to visit an attraction which was specially dug for tourists.
The real tunnels (or what's left of them) are not on any tourist routes. The jungle grew over them long ago while nearby neighborhoods and villages were built. Local boys sometimes go in the tunnel ruins to play guerrillas. On one hand, this is just fun and games, but on the other...
you never know.










SCALE
WarMachines.com


F2255




MW0188



3
MAX
ARNOLD






12
Painted by Agis Neugebauer - www.adpublishing.de

TURRET
See pages
16–17

DEFENSES
See pages
24–25

MAIN GUN
See pages
18–19

ENGINE
See pages
10–11

SUSPENSION
See pages
12–13

TRACK
See pages
12–13

DRIVING
See pages
14–15

CROSS-SECTION

Take a look inside the Warthog. The labels show which pages will help you to find out more.

World War II ground attack aircraft gave their crews very little protection from the enemy. The A-10 was built to give its pilot a much better chance of staying safe. Everything on the aircraft is carefully planned to help it to do its job.

ABRAMS M1A2
Length: 53 feet, 4 inches (16.3 meters)
Height: 14 feet, 8 inches (4.5 meters)
Maximum speed: 420 miles (675 kilometers) per hour
Maximum weapons load: 16,000 pounds (7,258 kilograms)





PASO ATRAS


V17


E1










Cámara con zoom
Antenas
Micrófono
Cámara
Amatralladora
Batería
Cadenas









M2HB .50cal machinegun /w Mk93 mount
AlexStudio©2006






LAND ROVER
10 FG 51
LAND ROVER S2A SAS


За Родину!








٩٦١٤٣




NO MOQ
Limited
www.godspeed.en.alibaba.com
30 years factory export experience
100% Value Choice


















Faustpatrone
Hafthohlladung
Panzerfaust
30M
60M
100M
150M
Sturmpistole
Panzerwurfmine (L)
Panzerwurfmine Kz
Panzerschreck








FIREFLYSECURITY
21
FIREFLYSECURITY
ARMOURED MULTI-PURPOSE VEHICLE
DANIELCOMERCI


MARSOC MARINE RAIDERS
CHUNG26TH
1/6 MILITARY CUSTOM WORKS
UPLOAD IN BBS.BBICN.COM





M-24

M-24 7.62mm NATO
M-24A1 .300 Winchester Magnum

M-24A2

M-24A2 w. Suppressor

M-24A3HS .338 Lapua

M-24A3AI

M-24E1



Bombs & Rockets

Chart Four: 2,200lb to 4,000lb

LMB 2,200lb Mine Germany



SC1000 2,200lb High Explosive Germany



SC1200 2,600lb High Explosive Germany



PC1400FX 3,080lb Glide Bomb Germany



SC1800B 3,970lb High Explosive Germany



4,000lb General Purpose Great Britain



SC1800 3,970lb High Explosive Germany



4,000lb General Purpose USA




4,000lb High Capacity Great Britain




Atomic Mk 1 'Little Boy' USA



Atomic Mk 3 'Fat Man' USA








Volker Bembennek 2012

ARMAS | ESPAÑA


03/05 EL FUSIL DE ASALTO CETME


De fabricación española, el modelo B se convierte en el arma empleada por la OTAN y hasta 30 países lo utilizan.




FUENTE: L. Molina Franco y J. M. Manrique García, "CETME, 50 años del fusil de asalto español"

DOCUMENTACIÓN: Javier Munera I **ANTONIO FARACH**


WATER JACKET
RECOIL SPRING
SIGHT
LOADER
POINTER'S HANDWHEEL
RECOIL CYLINDER
TRAINER'S HANDWHEEL
FIRING MOTOR
TRAIN POWER DRIVE
FOOT-FIRING PEDAL
COOLING SYSTEM TANK
ELEVATION POWER DRIVE





Germany

Mauser

Model 92

GEW 98

Erfurt Kar 98AZ

GEW 98 Sniper

Model 1905/06 Semi-Auto Rifle

Model 1911 Semi-Auto Carbine








EMG
INTERNATIONAL




EMPIRES
149






© Vitaly V. Kuzmin


1331
Café Splendide
1331


260069





A MODERN FORT CONSTRUCTED IN A HILLSIDE.

PERISCOPES
FIRE-CONTROL TOWER.
ANTI-AIRCRAFT MACHINE-GUNS.
CASEMATE.
EMERGENCY WATER CATCHMENT.
AIR-CONDITIONING PLANT.
BARRACKS
ESCALATOR
MAGAZINE
WATER TANK.
HOSPITAL
MAIN CONTROL-CHAMBER.
MAIN GALLERY
ANTI-TANK AND MACHINE-GUN POST.
TANK TRAP
INFANTRY TRAP
STORES.
POWER STATION.
MAIN MAGAZINE.
WORKING PASSAGE.
MAIN MAGAZINE.
ESCALATOR.
ESCAPE GALLERY.
WORKING CHAMBER.
GALLERY
MINE FOR DESTROYING GALLERY IN EMERGENCY
MAGAZINE.
GALLERY MINE.
REST ROOMS FOR TROOPS OFF DUTY KEPT AS FAR AWAY FROM THE FIRING LINE AS POSSIBLE.
ARMED AND ARMOURED POST.
SOLID EARTH.
⊗ = INDICATES POSITION OF ARMOURED DOORS IN THE GALLERIES.

THE FIRE CONTROL TOWER OF A MODERN FORT.

PERISCOPE.
CHIEF FIRE-CONTROL OFFICER.
DIRECTOR-OFFICER AND SIGHT-SETTER.
RANGE-FINDER.
MESSAGE CONTROL OPERATORS.
CONCRETE
CONCRETE
MESSENGER.


"ASPARAGUS"- A NAME GIVEN TO A DEVICE CONSISTING OF IRON RAILS DRIVEN DEEP INTO THE GROUND FOR BREAKING THE TRACKS OF HOSTILE TANKS.

TRACK.
IN CERTAIN CASES THE "ASPARAGUS" IS FITTED WITH EXPLOSIVES
HOW THE "ASPARAGUS" IS DRIVEN DEEP INTO THE GROUND
THE RAIL FIELDS ARE SO ARRANGED THAT THE RAILS ARE SET AT VARYING HEIGHTS ABOVE THE GROUND TO CAUSE THE TANKS' TRACKS TO BE STRIPPED BY THE UNEVEN IMPACT

A MODERN TANK TRAP

CONCRETE
SOLID EARTH.
THE TANK TRAP CAREFULLY CONCEALED


455











Mental Ray






USA
73825



USA





USA
USA


M2HB .50cal machinegun
/w Mk93 mount
AlexStudio©2006
M2HB .50cal machinegun
/w Mk93 mount
AlexStudio©2006



HIDDEN MENACE
Heavy bombs fitted with chemical time-delay fuses could be set to take up to six days to detonate. In many cases, the fuse failed, creating a potentially deadly underground hazard.
Tail vane
Arming stem
AN-M65 1,000-LB. BOMB
M125 LONG-DELAY CHEMICAL FUSE
HOW THE FUSE WORKS
1 As the bomb falls, airflow rotates the tail vane, turning the arming stem.
2 Rotation of the arming stem drives a metal rod into a capsule, breaking the glass and releasing corrosive acetone.
3 Leaking acetone slowly dissolves the celluloid delay disks. The thickness of the disks determines the delay.
4 Celluloid delay disks disintegrate and release spring.
5 Firing pin is released, striking the detonator.
Detonator
556 lbs. of TNT
Glass capsule
Nose plug
Spring
Booby trap
An anti-withdrawal ball prevents disarming. If it is removed, the whole firing-pin assembly snaps forward.
Person to scale
The 1,000-lb. bomb struck the ground at a speed of at least 150 miles per hour.
The bomb could end up in an upright position, causing the corrosive fluid to fall away from the delay disks so that the firing pin is not released.
Average depth of unexploded 1,000-lb. bombs: 14.4 ft.
The depth of penetration depended on the strike angle and type of soil or rock.
ILLUSTRATION BY Hasaim Hussein


1. Main gun (M242 25mm Automatic Cannon)
2. Gunner's station
3. Wire cutters
4. Gunner's periscope (1)
5. Pintle-mounted machine gun (M240E1, 7.62mm)
6. Fire suppression system (troop compartment)
7. Commander's station
8. Turret hatches
9. Commander's M27 periscopes (7)
10. Tool box & saw (troop compartment)
11. Troop compartment hatches
12. Bustle rack
13. Fuel filler cap
14. Troop seats
15. Rear doors
16. Rear door vision block
17. Twin rudders
18. Propeller
19. Spare tire
20. Emergency hatch
21. Driver's compartment
22. Towing lug
23. Tie-down lug
24. Trim vane
25. Left headlight cluster (contains headlight, blackout headlight, composite turn, park, and marker light)
26. Self recovery winch fairing
27. Tow rope
28. Self recovery winch & hatch
29. Driver's wire cutters
30. Driver's periscopes (3)
31. Engine compartment (6V53T Detroit Diesel)
32. Air inlet grill
33. Exhaust pipe & muffler
34. Driver's hatch
35. Air exhaust grill
36. Grenade launcher, for L8A1 smoke grenades




Fig 1
HENRY'S PATENT REPEATING RIFLE
MANUFACTURED BY THE NEW HAVEN ARMS Co.
NEW HAVEN, CT.
Fig 3. Section of Breechpin
Fig 4. Top of Breechpin
Fig 6.
Fig 7.
Fig 5.
Fig 8.
No 5 6 7 and 8.
are detached parts of Breechpin.
Fig 2.
Fig 1. Longitudinal Section, showing the position of the different parts after the first motion.
Fig 2. The same after the second motion when ready to fire.



USSR
Tokarev
SVT-38
SVT-38 Sniper
SVT-40
SVT-40 Carbine
SVT-40 Sniper



Color	Mr.Hobby	Vallejo	Model Master	Tamiya	Humbrol
[illegible]	H 8 8	997	1546	X11	11
Metal Black	H 18 28	86A	1402	–	–
Wood Brown	H 37 43	983	1701	–	186
Red	H 3 3	908	1503	X7	19
Light Green	H 303 303	–	1713	XF20	117
Tire Black	H 77 137	–	–	–	–
Khaki	H 81 55	988	–	XF49	26

01575 1/35 M1132 Stryker Engineer Squad Vehicle w/SMP/AMP-Surface Mine Plow




MAGNUM


G.Rava '08





Figure 33. Painting and marking of bombs.





Intercept
CARBON EXPRESS
Intercept-AXON






U.S.






8


8




artfx-9.deviantart.com








MILITARY-TODAY.COM















1. Самоходная пушка большой мощности 2С7М «Пион-М» («Малка»): масса — 46 т; скорость по шоссе — 50 км/ч; вооружение: 203,3-мм пушка 2А44, зенитный комплекс «Стрела-2», ручной гранатомет; вес осколочно-фугасного снаряда — 110 кг, вес полного заряда — 43 кг, дальность стрельбы осколочно-фугасным снарядом — 37,5 тыс. м, активно-реактивным — 55 тыс. м, оснащенным прямоточным воздушно-реактивным двигателем — 70 тыс. м; мощность силовой установки — 780 л.с.; запас хода — 500 км; длина с пушкой — 13100 мм, ширина — 3380 мм, высота — 3000 мм, клиренс — 400 мм; расчет — 7 человек.

2. Тележка для подвоза снарядов и зарядов.


3. Так производится обнаружение и идентификация наземной цели (в данном случае — танка): 1 — устройство обработки сигнала; 2 — аналого-цифровой преобразователь; 3 — усилитель в активных системах; 4 — предусилитель с ограничением ширины полосы частот; 5 — прибор обнаружения (приемник, передатчик); 6 — система формирования изображения (оптика, антенна); 7 — цель.

4. «Пион» на огневой позиции.

5. 203,2-мм выстрелы: а) 3ВОФ42 с осколочно-фугасным снарядом 3ОФ43 и уменьшенным зарядом, б) осколочно-фугасный, активно-реактивный снаряд 3ОФ44, в) 3В015 с кассетным снарядом 3О14, полный и уменьшенный заряды.

6. 203,2-мм снаряды увеличенной дальности стрельбы: 1 — активно-реактивный; 2 — с донным газогенератором; 3 — с реактивным двигателем.

Рис. Михаила ДМИТРИЕВА




Sectional View

Full View





WTF.....
Captured


Sd.Kfz.250/11
with 2,8 cm sPzB 41


www.somethingawful.com

23-мм СПАРЕННАЯ УСТАНОВКА ЗУ-23



1 — автоматы; 2 — люлька; 3 — подъемный механизм; 4 — коллиматор; 5 — наземный прицел; 6 — автоматический зенитный прицел; 7 — уравновешивающий механизм; 8 — ручной спуск; 9 — платформа; 10 — опорный кронштейн; 11 — ручной тормоз вращающейся части; 12 — поворотный механизм; 13 — верхний станок; 14 — домкрат; 15 — стопор по-походному качающейся части; 16 — рукоятка тормоза качающейся части; 17 — педаль ножного тормоза вращающейся части; 18 — педаль спускового механизма; 19 — патронная коробка; 20 — механизм перезаряжания автомата; 21 — рукоятка механизма перезаряжания автомата; 22 — гильзоотвод; 23 — крышка багажника для ЗИП; 24 — взрыватель; 25 — разрывной заряд; 26 — снаряд; 27 — ведущий поясок; 28 — трассер; 29 — гильза; 30 — порох; 31 — капсюль - воспламенитель № 3; 32 — баллистический наконечник; 33 — зажигательная шашка.

Рисунок И. Кашичкина.













B
C
A







ILLUSTRATION BY **Hasaim Hussein**


GAME REGISTER


emersongear





1. 152-мм самоходная пушка повышенного могущества 2С5 «Гиацинт»: вес в походном положении — 28,2 т; скорость — 60 км/ч; вооружение: пушка 2А37, боекомплект — 30 выстрелов, масса снаряда — 43 кг, масса заряда — 18,4 кг, начальная скорость — 945 м/с, наибольшая дальность стрельбы — 30,5 тыс. м; углы наведения: вертикальный — от минус 3 до плюс 60 град., горизонтальный — 15 на оба борта; мощность двигателя — 520 л.с.; запас хода — 500 км, гарантированный пробег — 5 тыс. км; время перевода из походного в боевое положение (и наоборот) — 5 — 7 мин; длина — 8330 мм, ширина — 3250 мм, высота — 2760 мм; расчет — 5 человек.

2. «Гиацинт» в боевом положении на огневой позиции.

3. 152-мм выстрелы со снарядами повышенного могущества, снаряженными взрывчатым веществом на основе гексогена (А-IX-2) с улучшенной аэродинамической формой. Обозначения: осколочно-фугасный снаряд 3ОФ-29 с донной выемкой (а) и газогенератором (в); переменный боевой заряд — полный (б) и уменьшенные (г).

4. Самоприцеливающийся боевой элемент 152-мм кассетного снаряда. Цифрами обозначены: 1 — инфракрасный датчик в рабочем положении; 2 — взрывчатое вещество на основе гексогена; 3 — облицовка; 4 — антенна радиолокатора миллиметрового диапазона; 5 — корпус; 6 — крылья (сложенные), предназначенные для уменьшения вращения боевого элемента в полете; 7 — блок электроники и питания; 8 — предохранительный исполнительный механизм; 9 — крышка парашюта; 10 — парашют.

Рис. Михаила ДМИТРИЕВА





Figure 4. Typical deep-cavity high-explosive projectiles and components.


WINCHESTER 1300 DEFENDER
12 GA. 18" BARREL - 8-SHOT
WINCHESTER 1300 DEFENDER
12 GA. 18" BARREL - 8-SHOT
MOSSBERG 500 PERSUADER
12 GA. 18.5" BARREL - 6-SHOT
©2010 DHART IMAGES




VIA 9GAG.COM







G. Rava








324













Diagram 34.—2-Pdr. POM-POM MARK VII MOUNTING.







589


www.michaelmandau.blogspot.com


FUNCIONAL


sd.kfz 234/2 Puma
by Pawel RZYMSKI





www.kotsanas.com





10 FG 63




раскраска скачана с www.raskraska.com





GERMAN PILOTLESS AIRCRAFT
SECRET
IMPULSE DUCT ENGINE
GRILL INCORPORATING SHUTTERS
& PETROL INJECTION JETS
FUEL TANK.
(CAPACITY 150 GALLS. PETROL)
WIREBOUND SPHERICAL
COMPRESSED AIR BOTTLES
PNEUMATIC SERVO
MECHANISM OPERATING
RUDDER & ELEVATORS
LIFTING LUG
WARHEAD: APPROX. 1000 KG.
AUTOMATIC PILOT:
3 AIRDRIVEN GYROS:
HEIGHT & RANGE SETTING CONTROLS
PRESSED STEEL WING RIBS
LAUNCHING RAIL
SHEET STEEL WING COVERING
LIGHT ALLOY NOSE FAIRING
PROBABLY CONTAINING COMPASS
STEEL TUBULAR MAIN SPAR
PASSING THROUGH FUEL TANK
DRAWING BASED ON INFORMATION TO DATE.
ISSUED WITH A.I.2(g) REPORT No. 2243/16-6-44

Italy



Riva Esterina

Dobermann

Black Widow

Python Long

SAB - Renato Gamba

Trident 2in

Trident 4in

Trident Super

Uberti

3in

6in

Inspector 2.5in

6in Target

4in





Mauser K98









Der Karabiner 98k

Vertikaler Längsschnitt:

Aussenansicht von oben:

Schloss gespannt

Das Ausziehen und Auswerfen der Patronenhülse:

Laufquerschnitt


MILITARY POLICE
206MP



THE TOW BGM-71E MISSILE

Antitank missiles work by piercing the armor and killing the crew, or by disabling vital mechanical systems inside the vehicle. Reactive armor responds to the impact of a missile to reduce the damage to the vehicle. The BGM-71E was developed for the U.S. Army specifically to defeat reactive armor.

THE M220 LAUNCHER

One method of launching the missile is a tripod-mounted launcher now in use by Syrian rebel groups. The missiles can be fired by a single operator but require a team of four to move the launch tube supporting equipment from place to place.

THE MISSILE LAUNCH SEQUENCE

1. The initial launch engine burns for less than half a second. It shuts down before the missile leaves the tube.


2. Front wings unfold as the missile leaves the launcher.

3. The unfolding wings close a circuit that ignites the second flight motor about 25 feet from the launcher.


4. Control-surface fins unfold immediately after launch and respond to signals through a command-wire link.

5. Wire dispensers in the rear of the missile spool out up to 12,000 feet of single-strand command wire.

6. A xenon beacon and a thermal beacon in the rear of the missile is detected by the thermal tracker in the telescopic sight unit (TSU).









Great War - Hand Grenades
US Mk II Gas Bomb
UK Mills
Kugel granate
German
Stielhand granate 24
zeitzunder handgranate
Austrian
Rohr handgranate
Petard Thèvenot
V.B. Rifle bomb
French
F1
Excelsior P2
M1917 gas grenade
Russian
Orlov
S.I.P.E.
Italian
Besozzi



番二二四一(3)光




Bombs & Rockets
Chart Five: 4,400lb to 22,000lb
SC2000 4,400lb High Explosive Germany
SC2500 5,500lb High Explosive Germany
8,000lb High Capacity Great Britain
12,000lb High Capacity Great Britain
12,000lb Medium Capacity 'Tallboy' Great Britain
22,000lb Medium Capacity 'Grand Slam' Great Britain


ROTHCO




C7A2


C7A1


LSW Light Support Weapon


C7CT Custom Tactical


M203/SA Stand Alone


C8A2



SFW Special Forces Weapon


C8CQB Close Quarter Battle



C8CT Custom Tactical


7.62mm ChainGun


Great War - Heavy machine guns
PM M1910
MG 08
M1917 Browning machine gun
Fiat Revelli M1914
Hotchkiss M1914
Schwarzlose MG M.07/12
Type 3
Vickers Mk I



SKEETER
13Δ-21Δ-A-11




WL
240743
II
K
ck-modelcars


US


MARSOC MARINE RAIDERS
CHUNG26TH
1/6 MILITARY CUSTOM WORKS
UPLOAD IN BBS.BBICN.COM




FORGOTTEN HOPE 2
Fiat M11/39
By Sorken • Export by Kev4000


332















23-мм СПАРЕННАЯ УСТАНОВКА ЗУ-23



1 — автоматы; 2 — люлька; 3 — подъемный механизм; 4 — коллиматор; 5 — наземный прицел; 6 — автоматический зенитный прицел; 7 — уравновешивающий механизм; 8 — ручной спуск; 9 — платформа; 10 — опорный кронштейн; 11 — ручной тормоз вращающейся части; 12 — поворотный механизм; 13 — верхний станок; 14 — домкрат; 15 — стопор по-походному качающейся части; 16 — рукоятка тормоза качающейся части; 17 — педаль ножного тормоза вращающейся части; 18 — педаль спускового механизма; 19 — патронная коробка; 20 — механизм перезаряжания автомата; 21 — рукоятка механизма перезаряжания автомата; 22 — гильзоотвод; 23 — крышка багажника для ЗИП; 24 — взрыватель; 25 — разрывной заряд; 26 — снаряд; 27 — ведущий поясок; 28 — трассер; 29 — гильза; 30 — порох; 31 — капсюль - воспламенитель № 3; 32 — баллистический наконечник; 33 — зажигательная шашка.


Рисунок И. Кашичкина.


DELL


PIETRO BERETTA





R-1
101AB
506-1








FLAKBLITZ
DAK Opel Blitz w/ Flak 38 AA Gun
NEVERAGAIN
WL-405 072
Sergey O.
Sergey O.
Sergey O.



Model by: Vladimir Yashin aka Genscher



BASS MASTER
92





AUSTRALIAN WAR MEMORIAL
RELAWM30622.001




Vekka
vento




152




MARSOC MARINE RAIDERS
Z04
CHUNG26TH
1/6 MILITARY CUSTOM WORKS
UPLOAD IN BBS.BBICN.COM





Fig. 182/a - Fig. 182/b - Fucili a retrocarica ed a ripetizione americani. Fucile a ripetizione Spencer.




374
komardin 2010



На этой стр. и на следующей (внизу) — высотный разведчик-автожир «Флюгегельрад-III». Диаметр ротора — 24 м, высота — 11,2 м, взлетная масса — 40,0 т, экипаж — 6 чел., двигатели — два HeS001 тягой по 1300-1500 кг или два BMW 018 тягой по 3400 кг.

На рисунке цифрами обозначены: 1 — лопасть; 2 — кольцо-маховик-обтекатель; 3 — двигатель; 4 — топливные баки; 5 — сопловая насадка; 6 — механизм управления углом атаки лопасти; 7 — шасси; 8 — кабина экипажа.





PIÈCES MONOTUBES DE 20 ET 37 MM



Un 2 cm Flak 38. C'est le canon de Flak le plus répandu. Sa cadence de tir est cependant jugée insuffisante à la fin de la guerre, ce qui explique l'arrivée de la version quadritube, le Flakvierling.



Un 2 cm Flak 30, qui est la première version du célèbre canon de Flak, mise au point avant même l'arrivée du parti nazi au pouvoir.



Un canon 3,7 cm Flak 37. Cette pièce de 37 mm possède une force de frappe supérieure au 20 mm, mais elle est assez encombrante et lourde à transporter.


B35119
miniarm®
www.miniarm.com
AMMO 115MM GUN
FOR T-62
1
2
3
4
5
6
7
8
9
7
BK-4
BM6
OF11
Printed and copy rights by Miniarm 2016







Great War - Hand Grenades
US Mk II Gas Bomb
UK Mills
Kugel granate
German
Stielhand
granate 24
zeitzunder
handgranate
Austrian
Rohr
handgranate
Petard
Thèvenot
V.B. Rifle
bomb
French
F1
Excelsior
P2
M1917 gas
grenade
Russian
Orlov
S.I.P.E.
Italian
Besozzi





MARSOC MARINE RAIDERS
CHUNG26TH
1/6 MILITARY CUSTOM WORKS
UPLOAD IN BBS.BBICN.COM


G.Rava 01






7.92 mm MAUSER RIFLE K98
GENERAL VIEW
MUZZLE COVER
SECTIONAL VIEW
CLEANING KIT
COMPONENTS PARTS
TECHNICAL DESCRIPTION






ARMORED GUN HOUSE (TURRET PROPER)
POWDER HOIST
DECK LUG
GUN DECK
GUN GIRDER
RAMMERS
PROJECTILE HOIST
ROTATING TURRET STRUCTURE
PAN FLOOR
ROLLER PATH
PROJECTILE RING
BARBETTE
TURRET FOUNDATION (STATIONARY)
MACHINERY FLOOR
MAGAZINES
PROJECTILE HANDLING FLOOR
POWDER HANDLING ROOM
FIXED STOWAGE


RICE'S RED DEVILS
USA
30147226


TAMIYA
•HIGHLY ACCURATE STATIC DISPLAY MODEL
•REALISTICALLY REPRODUCED TURRET AND TURRET PARTS
•OPEN OR CLOSED HATCHES FOR TURRET AND HULL
•INCLUDES FOUR LIFELIKE FIGURES
AND VARIOUS ACCESSORIES
•THREE TYPES OF DECALS INCLUDED
105
M4A3
SHERMAN
1/35 MILITARY MINIATURE SERIES No.251
U.S.MEDIUM TANK M4A3 SHERMAN
105mm HOWITZER ASSAULT SUPPORT
1/35 ミリタリーミニチュアシリーズNO.251
アメリカ M4A3シャーマン・
105mm榴弾砲搭載型 突撃支援
58







Jarryd Muir - 2016


08
EFSF
On Patrol.
Earth,
Universal Century 0079


© 2007 R. Bishop









8cm mortar pit



German Tactical Symbol for heavy Mortar




DUMMY
DUMMY
DUMMY


FLASH HIDERS
CARRIAGE
GUNS
ELEVATING SIGHT
TRAINING SIGHT
POINTER'S HANDWHEEL
TRAINER'S HANDWHEEL
POINTER'S SEAT
TRAINER'S SEAT
FIRING STOP MECHANISM
FIRING PEDAL
POWER UNIT (TRAIN POWER DRIVE)
ELEVATION POWER DRIVE
CASE DISCHARGE CHUTES
FIRING MOTOR STARTERS



MOTOROLA
HT 1100


G. Rava '01


USSR
Dragunov
SSV-58
SVD
TSV
B-70
B-70 FS



AUSTRALIAN WAR MEMORIAL




RELAWM30622.001










2177
CAL.-7.62
MOD.-58.
SICURA
RAFFICA


Talon
S.W.O.R.D.S.





Argentina



Rexio

Seguridad

Super 250-M

Supervivencia

Rexio Pump Shotgun 21in

21in Stainless

18in

18in

18in Stainless

15in

15in Stainless





BASS MASTER




SSNSW
Panzer Modeller
2017


Machine Pistol
Automatic Carbine
20mm Anti Tank Rifle
Autoloading Revolver
Light Machine Gun
Anti Tank Projector
ALT 1948
INFANTRY
WEAPONS


PzKpfw IV TURRET
1. Gun guard
2. Gunner's gun-elevation wheel
3. Gunner's azimuth indicator
4. Commander's cupola
5. Commander's vision device
6. Gunner's TZF 5b telescopic sight
7. MG 34 machine gun
8. 7.5cm KwK 40 gun breech
9. Turret ventilation fan
10. Muzzle brake
11. Coaxial MG 34 machine gun
12. Shell-casing catch bag
13. Spare 7.62mm ammunition bags
14. Loader's seat
15. Gunner's foot trigger
16. Commander's seat
17. Gunner's seat
525



M1 Carbine
Early Model
M8 Grenade Launcher
M1A1
Browning BAR
M1918
M1918A1
M1918A2



Model painted by Warwick Kinrade




98K
M35
Side Cap M38
G43
MP40
FG42
P08
STG44
MG42
Pz.B 39
Achtung! Feuerstrahl!
Panzer Faust 60




Gero v. Hohendorff
















VILLA EN LA SILLA PRESIDENCIAL




CARTRIDGES








2-83
26









Germany
G-41
G-41W
G-41W w. 25rd Mag
G-41W w.Scope
G-41M
G-43
G-43 Sniper



THESE ARE THE PARTS...
THIS IS WHAT HAPPENS
AFTER SAFETY PIN IS PULLED...
STRIKER
SPRING
SAFETY PIN
SAFETY-PIN RING
PRIMER
STRIKER
BODY
POWDER
TRAIN
SAFETY
LEVER
FILLER
IGNITER
OR DETONATOR







German Army




Talon
S.W.O.R.D.S.







L4618345
TE TANIWHA




CZ
FRONT SIGHT
SLIDE
LOCKING LUGS
EXTRACTOR
EJECTOR
REAR SIGHT
HAMMER
RECOIL SPRING
RECOIL SPRING GUIDE
FRAME
SLIDE STOP
TRIGGER
SAFETY
MAGAZINE CATCH
MAGAZINE BODY
FOLLOWER
MAIN SPRING STRUT
FLAT SPRING
MAIN SPRING
MAIN SPRING PLUG





LBT






Mauser M98K
98K w Grenade Launcher
Mauser Snipers
G-41
G-43
G-43 Sniper



8,8 cm Kw K 36
Geschütz
Rohr im Schnitt
A35238

Французская передвижная корабельная мортира (12-фунтовая) 1700 г.



Русский морской однофунтовый «Единорог» на корабельном станке 1843 г. (калибр–50,8 мм)





Карронада на верхней батарейной палубе боевого корабля. Конец XVIII — начало XIX в.





RPG

RPG-1

RPG-2

RPG-4

RPG-7

RPG-7D


RPG-16

with out BAR Armour

BAR Armour




92
T24344






92



COLT REVOLVERS



AGENT

.38 Special (mid-range and regular service loads).

COBRA

.38 Special (mid-range and regular), .32 New Police, .22 Long Rifle



DETECTIVE SPECIAL

.38 Special (mid-range, regular & hi-speed), .32 New Police

CALIBER: .38 Special.
LENGTH OF BARREL: 2".
LENGTH OVERALL: 6¾".
WEIGHT: 14 oz.
SIGHTS: Fixed type, ramp-style, glare-proofed. Front blade, .110". Rear notch .135". Sighting radius 3.5".
TRIGGER: Grooved.
STOCKS: Full-checkered walnut, round butt.
FINISH: Blue.
AGENT $78.00

CALIBERS: .38 Special, .32 New Police or .22 Long Rifle.
LENGTH OF BARREL: 2", 3", 4", in .38 Special; 2", 3", in .32 New Police; 3" in .22 Long Rifle.
LENGTH OVERALL: 6¾" with 2" barrel.
WEIGHT: 15 oz.
SIGHTS: Fixed-type ramp-style, glare-proofed. Sighting radius 3.5".
TRIGGER: Grooved.
FINISH: Blue.
COBRA $78.00

CALIBERS: .38 Special or .32 New Police.
LENGTH OF BARREL: 2".
LENGTH OVERALL: 6¾".
WEIGHT: 21 ounces.
SIGHTS: Fixed-type ramp-style, glare-proofed. Sighting radius 3.5".
TRIGGER: Grooved.
STOCKS: Full-checkered walnut, round butt.
FINISH: Blue.
DETECTIVE SPECIAL $74.50




PYTHON 2½-INCH BARREL
$135.00


PYTHON 4-INCH BARREL
$135.00

PYTHON 6-INCH BARREL
$135.00

CALIBER: .357 Magnum.
BARREL LENGTHS: 2½", 4" and 6".
LENGTH OVERALL: 4" bbl., 9¼"; 6" bbl., 11¼".
WEIGHTS: 4" bbl., 41 oz.; 6" bbl., 44 oz.
SIGHTS: Adjustable rear sight, ramp-type front sight, ⅛" wide.
TRIGGER: Grooved.
HAMMER: Wide-spur, checkered.

STOCKS: Full-checkered walnut, square butt, target stocks.
FINISH: Royal blue.
SIGHTING RADIUS: 2½" barrel—4.4".
4" barrel—5.7".
6" barrel—7.65".


with out BAR Armour
BAR Armour


19407
19407
19407
DLLU








Кормовая часть корпуса
бронеавтомобиля
с номерными знаками.

Тяжелый бронеавтомобиль Sd.Kfz.232.
5-й разведывательный батальон 5-й танковой дивизии СС «Викинг» (Aufkl. Abt. 5, 5.SS Panzer Division «Wiking»), Восточный фронт, лето 1943 г.

Самоходная установка
5cm Pak 38(Sf)
auf Zugkraftwagen 1t.
Одна из частей СС,
Восточный фронт,
район Коростеня,
декабрь 1943 г.

Полубронированный тягач
Sd.Kfz.7/1. Одна из зенитных частей
люфтваффе, Будапешт, 1944 г.













V1
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
V1 - THE FLYING BOMB (FZG76 OR Fi103)
1. Air log (propeller for measurement fo the distance)
2. Percussion fuse
3. Wings (only mounted on launching platform)
4. Filler-cap for 550 liters tank
5. Eye for hoist
6. Propellant line
7. Nine injectors for propellant
8. Flap-valves with springs
9. Pulse-jet engine
10. Direction rudder
11. Small blast of strips to initiate the diving phase
12. Pitch rudder
13. Main gyro
14. Dry battery
15. Compressed air tank (wire strengthened)
16. No wing flap
17. Tubular spar of the wings
18. Separating bolts
19. 847 kilos of various explosives
20. Main ignition set
21. Main compass for monitoring of the gyro
DE V1 - DE VLIEGENDE BOM
(FZG76 of Fi103)
1. Schroef voor het meten van de afstand
2. Ontstekingsmechanisme
3. Vleugel, (op lanceerinstallatie bevestigd)
4. Vulopening van de 550-l-tank
5. Haak voor het rechttrekken
6. Brandstofleiding
7. 9 sproeiers voor verstuiven van brandstof
8. Inlaatkleppen voor de luchttoevoer
9. Pulserende straalmotor
10. Richtingsroer
11. Rolroer voor het voorbereiden landing
12. Hoogteroer
13. Hoofd-gyroscoop
14. Batterij
15. Draadversterkte drukflessen
16. Geen staartroer
17. Buisstruktuur v. d. vleugel
18. Mechanisme voor het afstoten van de vleugels
19. 847 kilo uiteenlopende springstof
20. Hoofdontstekingsinstallatie
21. Hoofdkompas voor de besturing
van de gyroscoop


589
589





Endwood Castle Siege Weapon and Army Set



















PONOMAREV






CZ VZ54
Mauser G98
Mauser K98k
Mosin Nagant M1891/30
Schmidt Rubin K31-55
SMLE No.4 Mk.1(T)
Springfield 1903A4
Accuracy International AE
Accuracy International AW
(AW, AWF, AWP, AWS, AWC,AWM, AWSM, L96A1, L118A1, L115A1, L115A3)
Beretta Model 501
CZ 550 MAGNUM H.E.T.
CZ 700 & CZ 700M1
CZ 750
DSR 1 & DSR 1 Subsonic
Enfield L39A1
Enfield L42A1 & Enforcer
FN Patrol Bolt Rifle
FN Special Police Rifle
FN Special Police Rifle A1
(A1, A1a, A2, A3, A3 G, A4, A5, A5 M, A5a)
MAS FR-F1
MAS FR-F2
GOL-Sniper Magnum
IMBEL .308 AGLC
IZHMASH SV-98
Remington M24 SWS (M24A2, M24A3)
Remington M40 (M40, M40A1, M40A3, M40A5)
Mauser SP66
TsKIB SOO MTs-116M
Parker Hale M82
Parker Hale M85
PGW Timberwolf C14 MRSWS
Remington 700
Ruger M77 MkII VLE
Sako TRG 21 / 22
Sako TRG 41 / 42
Savage 10FP
Savage 110FP
SIG SHR 970
SIG STR 970
SIG-Sauer SSG 2000
SIG-Sauer SSG-3000
Steyr-Mannlicher SSG 69 (PII)
Steyr-Mannlicher SSG 69 PIV
Steyr Scout Tactical
Steyr-Mannlicher SSG 04
Savage Model 10 BAS




Round entering breech
Raised breechblock
Ammunition clip
Flash hider
Cooling jacket
Recoil spring
Barrel
The U.S. Navy Mark 1 version employed two men to point and train the electrically driven gun mount.
Sight
Handwheel
Pointer seat
Firing pedal
Trainer seat
Loader platform
The top-feed loader cycled four-round ammunition clips.
Manufacturers limited the rotation of the mount upon its stand to prevent damage to a vessel's superstructure.
Weight: Gun and mount, 14,000 pounds
Elevation: -5 degrees to 90 degrees
Shell: 40mm rimmed, 2-pound high explosive
Muzzle velocity: 2,890 feet per second
Maximum ceiling: 23,600 feet
Practical ceiling: 12,500 feet





Model by: Pavel Cherepanov



